

## Technische daten

**3102-7 | Einsatz, 7/16 Zoll (11,1 mm): 9102S****Produktübersicht: 3102-7 | Einsatz, 7/16 Zoll (11,1 mm): 9102S**

Removable inserts are sized for probes with the named diameter. Use additional inserts to broaden the range of hole sizes available or to back up or replace existing inserts. This insert is designed for use with the 9009 Industrial Dual-Block Dry-Well

- Hole size: 7/16 in (11.1 mm)

## Modelle



### **3102-7**

Einsatz, 7/16 Zoll (11,1 mm): 9102S

---

**Fluke.** *Damit Ihre Welt intakt bleibt.*

**Fluke Austria GmbH**

Liebermannstraße F01  
2345 Brunn am Gebirge  
Telefon: +43 (0) 1 928 9503  
E-Mail: roc.austria@fluke.nl  
www.fluke.at

©2025 Fluke Corporation. Alle Rechte vorbehalten.  
Anderungen vorbehalten  
04/2025

**Technischer Beratung:**

Beratung zu Produkteigenschaften, Spezifikationen,  
Messgeräte und Anwendungsfragen  
Tel.: +49 (0) 7684 8 00 95 45  
E-Mail: techsupport.dach@fluke.com

**Dieses Dokument darf nicht ohne die schriftliche  
Genehmigung der Fluke Corporation geändert  
werden.**