

Technische daten

9319 | Robuster Transportkoffer: 9100s





Produktübersicht: 9319 | Robuster Transportkoffer: 9100s

- Rugged carrying case for the 9100S Handheld Dry-Well
- Watertight, crushproof, dust proof
- Strong and light weight

- Easy-to-open double-throw latches
- Pressure equalization valve for quick equalization after changes in atmospheric pressure
- Stainless steel hardware
- Foam insert

Technische Daten: 9319 | Robuster Transportkoffer: 9100s

- Interior dimensions: 9.25 in x 7.12 in x 4.12 in (23.5 cm x 18.1 cm x 10.5 cm)

Modelle



9300

Robuster Transportkoffer: 9100s

Fluke. *Damit Ihre Welt intakt bleibt.*

Fluke (Switzerland) GmbH

Industrial Division
Hardstrasse 20
CH-8303 Bassersdorf
Telefon: +41 (0) 44 580 7504
E-Mail: info@ch.fluke.nl
www.fluke.ch

©2025 Fluke Corporation. Alle Rechte vorbehalten.
Anderungen vorbehalten
03/2025

**Dieses Dokument darf nicht ohne die schriftliche
Genehmigung der Fluke Corporation geändert
werden.**

Technischer Beratung:

Beratung zu Produkteigenschaften, Spezifikationen,
Messgeräte und Anwendungsfragen
Tel.: +49 (0) 7684 8 00 95 45
E-Mail: techsupport.dach@fluke.com