



Technische daten

1586-2586-KIT | High-Capacity-Modul mit Relaiskarte





Produktübersicht: 1586-2586-KIT | High-Capacity-Modul mit Relaiskarte

The High-Capacity Module Kit for 1586A Super-DAQ Precision Temperature Scanner comes with everything you need to

get started making multi-channel data logging measurements with your 1586A. To configure the 1586A yourself for use with the high-capacity module, you will need the relay card that is included with the kit. The kit also includes the 1586-2586 High-Capacity Module with universal input channels designed to measure temperature, resistance, dc voltage, and dc current for data acquisition applications where channel count and scan speed are important.


Includes:

- 1586-2586 High-Capacity Module
- Relay Card

Technische Daten: 1586-2586-KIT | High-Capacity-Modul mit Relaiskarte

Specifications	
Maximum Input	50 V
Offset Voltage	<2 μ V
3-Wire Inteal Resistance Mismatch	<50 m Ω
Basic CJC Accuracy	0.6 $^{\circ}$ C

Modelle



1586-2586-KIT

High-Capacity-Modul mit Relaiskarte

Fluke. *Damit Ihre Welt intakt bleibt.*

Fluke (Switzerland) GmbH

Industrial Division
Hardstrasse 20
CH-8303 Bassersdorf
Telefon: +41 (0) 44 580 7504
E-Mail: info@ch.fluke.nl
www.fluke.ch

©2025 Fluke Corporation. Alle Rechte vorbehalten.
Anderungen vorbehalten
04/2025

Technischer Beratung:

Beratung zu Produkteigenschaften, Spezifikationen,
Messgeräte und Anwendungsfragen
Tel.: +49 (0) 7684 8 00 95 45
E-Mail: techsupport.dach@fluke.com

**Dieses Dokument darf nicht ohne die schriftliche
Genehmigung der Fluke Corporation geändert
werden.**