

Technische daten

3150-2 | Einsatz A



Produktübersicht: 3150-2 | Einsatz A

- Insert "A" 9150, misc holes

Technische Daten: 3150-2 | Einsatz A

Hole size	Quantity
1.6 mm (1/16 in)	1
3.2 mm (1/8 in)	1
4.8 mm (3/16 in)	1
6.35 mm (1/4 in)	1
9.5 mm (3/8 in)	1
12.7 mm (1/2 in)	1

Modelle



3150-2

Einsatz A

Removable inserts are sized for probes with the named diameter. Use additional inserts to broaden the range of hole sizes available or to back up or replace existing inserts. This insert is designed for use with the 9150 Thermocouple Furnace.

Fluke. *Damit Ihre Welt intakt bleibt.*

Fluke Deutschland GmbH

In den Engematten 14

79286 Glottertal

Telefon: 0 69 2 2222 0203

E-Mail: CS.Deutschland-ELEK@Fluke.com

E-Mail: CS.Deutschland-INDS@Fluke.com

www.fluke.de

©2025 Fluke Corporation. Alle Rechte vorbehalten.

Anderungen vorbehalten

04/2025

Technischer Beratung:

Beratung zu Produkteigenschaften, Spezifikationen,
Messgeräte und Anwendungsfragen

Tel.: +49 (0) 7684 8 00 95 45

E-Mail: techsupport.dach@fluke.com

**Dieses Dokument darf nicht ohne die schriftliche
Genehmigung der Fluke Corporation geändert
werden.**