

TECHNICAL DATA

9302 | Rugged Carrying Case







Product overview: 9302 | Rugged Carrying Case

- Rugged carrying case for the 1560 Black Stack Thermometer Readout or 9133 Portable IR Thermometer
- Holds a 1560 and up to five modules
- Watertight, crushproof, dust proof
- Strong and light weight
- Easy-to-open double-throw latches
- 2 Fluke Corporation 9302 | Rugged Carrying Case



- Rubber over-molded handle for comfortable grip
- Hardware and padlock protected with stainless steel
- Foam lined for impact protection

Specifications: 9302 | Rugged Carrying Case

• Interior dimensions: 21.51 in x 16.54 in x 7.99 in (54.6 cm x 42 cm x 20.3 cm)



Ordering information



9302

Rugged Carrying Case for these models:

- 1560 Black Stack Thermometer Readout and up to five modules
- 9133 Portable IR Calibrator



Fluke. Keeping your world up and running.®

Fluke Corporation PO Box 9090, Everett, WA 98206 U.S.A.

Fluke Australia Unit 26, 7 Anella Ave Castle Hill, NSW 2154 Australia Phone: 61 2 8850-3333 www.fluke.com.au ©2025 Fluke Corporation. All rights reserved. Specifications subject to change without notice. 03/2025

Modification of this document is not permitted without written permission from Fluke Corporation.