

TECHNICAL DATA

9322 | Rugged Carrying Case







Product overview: 9322 | Rugged Carrying Case

- Rugged carrying case for the 1529 Chub-E4 Standards Thermometer
- Holds the 1529 and four probes up to 12
- Watertight, crushproof, dust proof
- Easy-to-open double-throw latches
- 2 Fluke Corporation 9322 | Rugged Carrying Case



- Pressure equalization valve for quick equalization after changes in atmospheric pressure
- Rubber over-molded handle for comfortable grip
- Hardware and padlock protected with stainless steel
- Foam lined for impact protection

Specifications: 9322 | Rugged Carrying Case

Interior dimensions: 18.06 in x 12.89 in x 6.72 in (45.9 cm x 32.7 cm x 17.1 cm)



Ordering information



9322

Rugged Carrying Case, holds 1529 and four probes up to 12



Fluke. Keeping your world up and running.®

Fluke Corporation PO Box 9090, Everett, WA 98206 U.S.A.

Fluke Australia Unit 26, 7 Anella Ave Castle Hill, NSW 2154 Australia Phone: 61 2 8850-3333 www.fluke.com.au ©2025 Fluke Corporation. All rights reserved. Specifications subject to change without notice. 03/2025

Modification of this document is not permitted without written permission from Fluke Corporation.