



TECHNICAL DATA

Fluke Networks MT-8200-49A MicroMapper™ Wiremap Tester





Key features

- Cable tester verifies wiremaps and identifies faults with LEDs
- MicroMapper™ MT-8200-49A, remote, and patch cable
- Remote unit enables 1-person testing of installed cables
- Two tones for tracing hidden cables
- Test twister pair cables for open circuits, shorts, crossed pairs

Product overview: Fluke Networks MT-8200-49A MicroMapper™ Wiremap Tester

The MicroMapper™ MT-8200-49A is a hand-held cable tester that makes it easy to verify the integrity of Ethernet twisted pair cables. Test for opens, shorts, reversed, crossed, and split pairs and scan for any existing faults in your cable. Trace cables hidden in ceilings, walls, floors, and bundles.

Specifications: Fluke Networks MT-8200-49A MicroMapper™ Wiremap Tester

Specifications	
Dimensions	4.93 x 2.05 x 1.18 ft (125 x 52 x 30 m)



Weight	0.28 lbs (130 g) Minimum length for split pair detection is 2 ft (0.6m) Testing twisted pair cables over 656 ft (200 m) in length
Baery	(4) 1.5 Volt AAA Alkaline baery; low baery indication by LED

Ordering information



MT-8200-49A

Fluke Networks MT-8200-49A MicroMapper™ Wiremap Tester

Includes:

- MicroMapper™ and MicroMapper™ Remote
- Patch cable
- (4) 1.5 Volt AAA Alkaline battery
- User guide



Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

Fluke Australia
Unit 26, 7 Anella Ave
Castle Hill, NSW 2154 Australia
Phone: 61 2 8850-3333
www.fluke.com.au

©2025 Fluke Corporation. All rights reserved.
Specifications subject to change without notice.
03/2025

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**