

TECHNICAL DATA

3150-2 | Insert, 9150-A Alumina w / misc holes



Product overview: 3150-2 | Insert, 9150-A Alumina w / misc holes

• Insert "A" 9150, misc holes

Specifications: 3150-2 | Insert, 9150-A Alumina w / misc holes

Hole size	Quantity
1.6 mm (1/16 in)	1
3.2 m (1/8 in)	1
4.8 mm (3/16 in)	1
6.35 mm (¼ in)	1
9.5 mm (3/8 in)	1
12.7 mm (½ in)	1



Ordering information



3150-2 Insert, 9150-A Alumina w / misc holes

Removable inserts are sized for probes with the named diameter. Use additional inserts to broaden the range of hole sizes available or to back up or replace existing inserts. This insert is designed for use with the 9150 Thermocouple Furnace.



$\textbf{Fluke}. \ \textit{Keeping your world up and running.} \\ \textbf{@}$

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call: In the U.S.A. (800) 443-5853

In Canada (800) 36-FLUKE From other countries +1 (425) 446-5500 www.fluke.com ©2025 Fluke Corporation.

Specifications subject to change without notice.

04/2025

Modification of this document is not permitted without written permission from Fluke Corporation.