

TECHNICAL DATA

# Wide Angle Infrared Lens



## Product overview: Wide Angle Infrared Lens

Wide field of view for inspection of large objects – compatible with TiX1000, TiX660 and TiX640 models.

Applications: Entire wall or side of building or the need to work in tight spaces.

## Specifications: Wide Angle Infrared Lens

General Characteristics	
Lens description	Wide-angle lens
Focal distance	15 mm
Focus	0.47 mm
<b>1024 x 768</b>	
iFOV	1.1 mRad
FOV	68.7 x 50.7°
<b>640 x 480</b>	
iFOV	1.7 mRad



FOV	62.3 x 46.4°
-----	--------------

## Ordering information



### **FLK-XLENS/WIDE**

---

Applications: Entire wall or side of building or the need to work in tight spaces.  
Compatible with TiX1000, TiX660 and TiX640 infrared cameras.

---



**Fluke.** *Keeping your world up and running.®*

**Fluke Corporation**  
PO Box 9090, Everett, WA 98206 U.S.A.

**For more information call:**  
In the U.S.A. (800) 443-5853  
In Canada (800) 36-FLUKE  
From other countries +1 (425) 446-5500  
[www.fluke.com](http://www.fluke.com)

©2025 Fluke Corporation.  
Specifications subject to change without notice.  
04/2025

**Modification of this document is not permitted without written permission from Fluke Corporation.**