

**TECHNICAL DATA** 

# Fluke AC283 SureGrip<sup>™</sup> Pincer Clips



#### **Key features**


- One pair (red, black) of nickel plated pincers open to 5 mm
- 11.4 cm flexible insulated shaft
- Recommended for use with TL222 and TL224 test leads
- Safety: IEC 61010-031 CAT II 1000 V, 1 A
- One year warranty

### Product overview: Fluke AC283 SureGrip<sup>™</sup> Pincer Clips

SureGrip<sup>™</sup> accessories are designed to improve steadiness in slippery hands. Rubber overmolded surfaces and fingerhugging curves give the user a comfortable, reliable grip on the accessory so they can focus on making an accurate measurement.



## **Ordering information**



#### Fluke AC283

One pair (red, black) of nickel plated pincers open to 5 mm



#### Fluke. Keeping your world up and running.®

Fluke (UK) Ltd. 52 Hurricane Way Norwich, Norfolk NR6 6JB United Kingdom Tel.: +44 (0)20 7942 0708 E-mail: cs.uk@fluke.com www.fluke.com/en-gb ©2025 Fluke Corporation. All rights reserved. Data subject to alteration without notice. 03/2025

Modification of this document is not permitted without written permission from Fluke Corporation.