

TECHNICAL DATA

VPS220-G - Voltage Probe Set, 100:1, one grey



Key features

Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip

Product overview: VPS220-G - Voltage Probe Set, 100:1, one grey

Double insulated voltage probe for ScopeMeter 190 series.

Specifications: VPS220-G - Voltage Probe Set, 100:1, one grey


Specification	
Aenuation	100:1
Bandwidth	200 MHz



Max. input voltage	1000 V CAT II or 600 V CAT III
Max. voltage to ground	1000 V CAT II or 600 V CAT III per IEC / EN61010-031
Input resistance	100 ΜΩ
Input capacitance	4.6 pF
Compensation range	10 to 25 pF
Cable length	1.2 m



Ordering information



Fluke VPS220-G

Voltage Probe Set, 100:1, one grey

Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip



Fluke. Keeping your world up and running.®

Fluke (UK) Ltd.
52 Hurricane Way
Norwich, Norfolk
NR6 6JB
United Kingdom
Tel.: +44 (0)20 7942 0708
E-mail: cs.uk@fluke.com
www.fluke.com/en-gb

©2025 Fluke Corporation. All rights reserved. Data subject to alteration without notice. 03/2025

Modification of this document is not permitted without written permission from Fluke Corporation.