

TECHNICAL DATA

9302 | Rugged Carrying Case





Product overview: 9302 | Rugged Carrying Case

- Rugged carrying case for the 1560 Black Stack Thermometer Readout or 9133 Portable IR Thermometer
- Holds a 1560 and up to five modules
- Watertight, crushproof, dust proof
- Strong and light weight
- Easy-to-open double-throw latches

- Rubber over-molded handle for comfortable grip
- Hardware and padlock protected with stainless steel
- Foam lined for impact protection

Specifications: 9302 | Rugged Carrying Case

- Interior dimensions: 21.51 in x 16.54 in x 7.99 in (54.6 cm x 42 cm x 20.3 cm)

Ordering information



9302

Rugged Carrying Case for these models:

- 1560 Black Stack Thermometer Readout and up to five modules
- 9133 Portable IR Calibrator

Fluke. *Keeping your world up and running.®*

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

BUT. FLUKE SOUTH EAST ASIA PTE LTD

Menera Satu Sentra Kelapa Gading #06-05

Jl. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading

Jakarta Utara 14240

Indonesia

Tel: +62 21 2938 5922

Email: info.asean@fluke.com

www.fluke.com/id-en

©2025 Fluke Corporation. Specifications subject to change without notice.

03/2025

Modification of this document is not permitted without written permission from Fluke Corporation.