

TECHNICAL DATA

Fluke 80K-15 High Voltage Probe



Key features

• Voltage range: 0 to 15kV DC or peak AC, 10kV rms AC

• **Basic accuracy:** DC +/- 2% 60Hz: +/- 5%

• **Division ratio:** 1000:1

• **Safety standards:** IEC 1010-2-031:1993, Type B, 40 kV DC or peak AC, 28kV rms AC, Overvoltage Category I (voltage derived from limited energy transformer).

• Input resistance: 1000 Megohm

• Required meter input resistance: 10 Megohm

Product overview: Fluke 80K-15 High Voltage Probe

The 80K-15 is a high voltage probe designed to extend the voltage measuring capability of an AC/DC voltmeter to 15,000 volts peak AC or DC Overvoltage Category I. This means the probe can only be used to make measurements on energy limited circuits within equipment. Examples include high voltage within televisions or photocopy machines. DO NOT use this probe to measure high voltages on power distribution systems. The probe provides high accuracy when used with a voltmeter having 10 Megohm input impedance.



Ordering information



Fluke 80k 15



Fluke. Keeping your world up and running.®

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

BUT. FLUKE SOUTH EAST ASIA PTE LTD

Menera Satu Sentra Kelapa Gading #06-05 JI. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading Jakarta Utara 14240

Indonesia Tel: +62 21 2938 5922 Email: info.asean@fluke.com www.fluke.com/id-en

©2025 Fluke Corporation. Specifications subject to

change without notice.

04/2025

In the U.S.A. (800) 443-5853 In Europe/M-East/Africa +31 (0)40 267 5100 In Canada (800)-36-FLUKE

For more information call:

From other countries +1 (425) 446-5500

Modification of this document is not permitted without written permission from Fluke Corporation.