

**TECHNICAL DATA** 

# Fluke 700HPF-NPT



# **Product overview: Fluke 700HPF-NPT**

High Pressure Premium Fittings, NPT Fittings, 21 MPa (3000 psi)

Includes:

- 3/8 NPT Male
- 1/2 NPT Male
- 1/8 NPT Female
- 1/4 NPT Male Swivel
- 1/4 NPT Female Swivel



# **Ordering information**



### 700HPF-NPT

High Pressure Premium Fittings, NPT Fittings, 21 MPa (3000 psi)

Includes:

- 3/8 NPT Male
- 1/2 NPT Male
- 1/8 NPT Female
- 1/4 NPT Male Swivel
- 1/4 NPT Female Swivel



#### Fluke. Keeping your world up and running.®

#### Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

### BUT. FLUKE SOUTH EAST ASIA PTE LTD

Menera Satu Sentra Kelapa Gading #06-05 JI. Bulevar Kelapa Gading Kav. LA# No. 1 Summarecon Kelapa Gading Jakarta Utara 14240 Indonesia Tel: +62 21 2938 5922 Email: info.asean@fluke.com www.fluke.com/id-en ©2025 Fluke Corporation. Specifications subject to change without notice. 04/2025

Modification of this document is not permitted without written permission from Fluke Corporation.

#### For more information call:

In the U.S.A. (800) 443-5853 In Europe/M-East/Africa +31 (0)40 267 5100 In Canada (800)-36-FLUKE From other countries +1 (425) 446-5500