

TECHNICAL DATA

# Fluke TPS VOLTPROBE 1 KV



## Specifications: Fluke TPS VOLTPROBE 1 KV

Specifications	
Range rms	10 V to 1700 V
Vnom	2000 V
Vmax. contin.	2000 V
Fast Transient Range Vp < 1 ms	6000
Iinsic error	> 0.1%
Operating voltage	600 V CAT IV

## Ordering information



### **TPS VOLTPROBE 1K V**

Fluke TPS VOLTPROBE 1 KV

---

**Fluke.** *Keeping your world up and running.®*

**Fluke Corporation**

PO Box 9090, Everett, WA 98206 U.S.A.

**For more information call:**

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

**BUT. FLUKE SOUTH EAST ASIA PTE LTD**

Menera Satu Sentra Kelapa Gading #06-05

Jl. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading

Jakarta Utara 14240

Indonesia

Tel: +62 21 2938 5922

Email: info.asean@fluke.com

www.fluke.com/id-en

©2025 Fluke Corporation. Specifications subject to change without notice.

04/2025

**Modification of this document is not permitted without written permission from Fluke Corporation.**