

**TECHNICAL DATA**

## VPS212-G - Voltage Probe Set, 10:1, one grey



### Product overview: VPS212-G - Voltage Probe Set, 10:1, one grey

**Double insulated voltage probe for ScopeMeter 190 series.**

Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 10:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip

Specification:

- Attenuation: 10x
- Bandwidth: 200 MHz
- Max. Input Voltage 1000 V CAT II or 600 V CAT III
- Max. Voltage to ground: 1000 V CAT II or 600 V CAT III per IEC / EN61010-031
- Input Resistance: 10 M $\Omega$
- Input Capacitance: 18 pF
- Compensation range: 10 to 30 pF
- Cable Length: 2.5 m

## Specifications: VPS212-G - Voltage Probe Set, 10:1, one grey

| Specification          |                                                      |
|------------------------|------------------------------------------------------|
| Aenuation              | 10x                                                  |
| Bandwidth              | 200 MHz                                              |
| Max. input voltage     | 1000 V CAT II or 600 V CAT III                       |
| Max. voltage to ground | 1000 V CAT II or 600 V CAT III per IEC / EN61010-031 |
| Input resistance       | 10 MΩ                                                |
| Input capacitance      | 18 pF                                                |
| Compensation range     | 10 to 30 pF                                          |
| Cable length           | 2.5 m                                                |

**Fluke.** *Keeping your world up and running.®*

**Fluke Corporation**

PO Box 9090, Everett, WA 98206 U.S.A.

**For more information call:**

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

**BUT. FLUKE SOUTH EAST ASIA PTE LTD**

Menera Satu Sentra Kelapa Gading #06-05

Jl. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading

Jakarta Utara 14240

Indonesia

Tel: +62 21 2938 5922

Email: info.asean@fluke.com

[www.fluke.com/id-en](http://www.fluke.com/id-en)

©2025 Fluke Corporation. Specifications subject to change without notice.

04/2025

**Modification of this document is not permitted without written permission from Fluke Corporation.**