

TECHNICAL DATA

## 1586-CASE | Carrying Case for 1586A Super-DAQ





## Product overview: 1586-CASE | Carrying Case for 1586A Super-DAQ

- Carrying case for the 1586 Super-DAQ Precision Temperature Scanner
- Holds mainframe and internal modules
- Ultra-high impact structural copolymer shell for strength and durability
- Easy-to-open double-throw latches Foam lined for impact protection
- Unbreakable
- Watertight, airtight, dustproof
- Chemical resistant, corrosion proof

- Automatic purge valve for quick equalization after changes in atmospheric pressure

## **Specifications: 1586-CASE | Carrying Case for 1586A Super-DAQ**

- Interior dimensions: 18.43 in x 14.00 in x 7.62 in (46.8 cm x 35.5 cm x 19.3 cm)
- Exterior dimensions: 20.62 in x 16.87 in x 8.12 in (52.4 cm x 42.8 cm x 20.6 cm)
- Weight: 11.9 lbs (5.4 kg)

## Ordering information



### **1586-CASE**

Carrying Case for 1586A Super-DAQ



**Fluke.** *Keeping your world up and running.®*

**Fluke (UK) Ltd.**  
52 Hurricane Way  
Norwich, Norfolk  
NR6 6JB  
United Kingdom  
Tel.: +44 (0)20 7942 0708  
E-mail: cs.uk@fluke.com  
www.fluke.com

©2025 Fluke Corporation. All rights reserved.  
Data subject to alteration without notice.  
04/2025

**Modification of this document is not permitted  
without written permission from Fluke  
Corporation.**