

TECHNICAL DATA

# Fluke VPS200-G Voltage Probe Set, Gray 200 MHz (one gray)



## Product overview: Fluke VPS200-G Voltage Probe Set, Gray 200 MHz (one gray)

Double insulated voltage probe for ScopeMeter190 series.

## Specifications: Fluke VPS200-G Voltage Probe Set, Gray 200 MHz (one gray)

Specifications	
Aenuation	10x
Bandwidth	200 MHz
Max. input voltage	1000 V
Max. voltage to ground	600 V CAT III 1000 V CAT II per IEC / EN61010-031
Input resistance	10 Mohm
Input capacitance	14 pF



Compensation range	10 to 22 pF
Cable length	1.2m
Warranty	1 Year
Specifications apply when the probe is connected to Fluke 190 Series Scopemeter.	

## Ordering information



### Fluke VPS200 G

Voltage Probe Set, Gray 200 MHz (one gray)

---

Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated:
    - 10:1 Voltage Probe
    - Hook Clip for Probe Tip, 4-mm Test Probe for Probe
    - Ground Lead with Hook Clip
    - Ground Lead with Mini Alligator
  - The red probe set also includes a 30 V CAT II rated Ground Spring for Probe Tip
-

**Fluke.** *Keeping your world up and running.®*

**Fluke (UK) Ltd.**  
52 Hurricane Way  
Norwich, Norfolk  
NR6 6JB  
United Kingdom  
Tel.: +44 (0)20 7942 0708  
E-mail: cs.uk@fluke.com  
www.fluke.com

©2025 Fluke Corporation. All rights reserved.  
Data subject to alteration without notice.  
04/2025

**Modification of this document is not permitted  
without written permission from Fluke  
Corporation.**