

TECHNICAL DATA

# VPS220-G - Voltage Probe Set, 100:1, one grey



## Key features

**Each probe set includes:**

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip

## Product overview: VPS220-G - Voltage Probe Set, 100:1, one grey


Double insulated voltage probe for ScopeMeter 190 series.

## Specifications: VPS220-G - Voltage Probe Set, 100:1, one grey

Specification	
Aenuation	100:1
Bandwidth	200 MHz

Max. input voltage	1000 V CAT II or 600 V CAT III
Max. voltage to ground	1000 V CAT II or 600 V CAT III per IEC / EN61010-031
Input resistance	100 M $\Omega$
Input capacitance	4.6 pF
Compensation range	10 to 25 pF
Cable length	1.2 m

## Ordering information



### **Fluke VPS220-G**

Voltage Probe Set, 100:1, one grey

---

Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
  - Hook Clip for Probe Tip
  - Ground Lead with Mini Alligator
  - Insulation Sleeve
  - 30 V CAT II rated Ground Spring for Probe Tip
-



**Fluke.** *Keeping your world up and running.®*

**Fluke (UK) Ltd.**  
52 Hurricane Way  
Norwich, Norfolk  
NR6 6JB  
United Kingdom  
Tel.: +44 (0)20 7942 0708  
E-mail: cs.uk@fluke.com  
www.fluke.com

©2025 Fluke Corporation. All rights reserved.  
Data subject to alteration without notice.  
03/2025

**Modification of this document is not permitted  
without written permission from Fluke  
Corporation.**