

# MET/CAL® Warranted Calibration Procedures



## Key features

- Warranted calibration procedures available for MET/CAL® software.
- Procedures produced by Fluke Calibration metrology engineers, ready-to-use and tested.
- Full support for the original, unaltered procedure from Fluke Calibration.
- Automated calibration process under MET/CAL control.

## Product overview: MET/CAL® Warranted Calibration Procedures

### MET/CAL® core calibration procedures

A number of example procedures are supplied free with MET/CAL®. You may download these calibration procedures from this website, use them 'as is' or as a template for developing your own custom procedures to fit your operation's specific requirements and calibration workload.

#### What procedures are available?

[View a list of procedures](#)

**How to get free access to the procedures library**

[MET/SUPPORT Gold](#) is an annual membership program offering premium support and services to help you stay as productive as possible. Gold members receive free access to all MET/CAL® procedures, as well as a host of other benefits. Use only a few of the Gold services and you can easily recover more than the cost of your membership fee.

### **Download procedures**

The procedures are available on the [MY MET/SUPPORT](#) online community for MET/SUPPORT members to download. Non-members may view the procedures to see what is available.

## Ordering information



### **MET/CAL warranted procedures**

MET/CAL® warranted procedures are optional calibration procedures for MET/CAL® Plus Calibration Software.

---



**Fluke.** *Keeping your world up and running.®*

**Fluke Corporation**  
PO Box 9090, Everett, WA 98206 U.S.A.

**For more information call:**  
In the U.S.A. (800) 443-5853  
In Canada (800) 36-FLUKE  
From other countries +1 (425) 446-5500  
[www.fluke.com](http://www.fluke.com)

©2025 Fluke Corporation.  
Specifications subject to change without notice.  
04/2025

**Modification of this document is not permitted  
without written permission from Fluke Corporation.**