

TECHNICAL DATA

Fluke CXT80 Extreme Case



Key features


- Dimensions (H x W x D): 10.62 x 9.68 x 4.87 (in), 315 x 174 x 104 (mm)
- Waterproof up to 3 feet with O-ring seal, airtight and built for extreme conditions. Features patent-pending spring-release latches, stackability, and a finger groove for easy carrying.
- Offers maximum protection for your Fluke tools and accessories against high impact, vibration or shock
- see compatible products below

Product overview: Fluke CXT80 Extreme Case

Unbreakable, watertight, airtight, dustproof, chemical resistant and corrosion proof.



Ordering information



Fluke CXT80

For use with the following test tools:

• Multimeters: 27, 83 V, 85 V, 87 V, 187, 189

• Process Tools: 724, 725, 726, 789



$\textbf{Fluke}. \ \textit{Keeping your world up and running.} \\ \textbf{@}$

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call: In the U.S.A. (800) 443-5853

In Canada (800) 36-FLUKE From other countries +1 (425) 446-5500 www.fluke.com ©2025 Fluke Corporation.

 $\stackrel{\cdot}{\text{Specifications}}$ subject to change without notice.

04/2025

Modification of this document is not permitted without written permission from Fluke Corporation.