

TECHNICAL DATA

Fluke FTP17XXPQ Fused Test Probes Set



Key features

- Three red probes with 11A fuses
- One black probe with 11A fuse
- Three red and one black Fluke AC285 alligator clips

Product overview: Fluke FTP17XXPQ Fused Test Probes Set

The Fluke FTP17XXPQ test lead set consists of three red probes with alligator clips and one black probe with alligator clip. The tips of the probes have a screw on connector with 4mm plug suitable for attaching the alligator clips, the other end of the probes have 4mm sockets suitable for connecting test leads. The unique design of the probes means that if the fuse has blown a voltage is still displayed by the measurement equipment. This offers an extra level of user security, with some fused probes voltage may not appear to be present if the fuse is blown. The FTP17XX has a high impedance path so a voltage is always displayed. The voltage displayed by measurement equipment will be less than the nominal indicating safely to the user about the presence of a voltage but with a test lead problem.

Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:
In the U.S.A. (800) 443-5853
In Europe/M-East/Africa
+31 (0)40 267 5100
In Canada (800)-36-FLUKE
From other countries +1 (425) 446-5500
www.fluke.com/en-th

©2025 Fluke Corporation. Specifications subject to
change without notice.
04/2025

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**