

**TECHNICAL DATA** 

# Fluke 179/TPAK Combo Kit - Includes Meter and Magnetic Hanger



### **Key features**

The Fluke 179 has features and functions needed to troubleshoot your equipment and plant.

- True RMS AC voltage and current for accurate measurements on non-linear loads
- Large digit display with analog bargraph
- Display backlight for work in dark areas
- Temperature and capacitance
- Records minimum and maximum values to aid in troubleshooting
- Free your hands with the magnetic hanger included in this combo kit
- Durability backed up with a limited lifetime warranty
- Includes thermocouple probe, integral holster and test leads

# Product overview: Fluke 179/TPAK Combo Kit - Includes Meter and Magnetic Hanger

Now you can hang your Fluke 179 True RMS Industrial Multimeter to free your hands for other use around complex machinery.

# Specifications: Fluke 179/TPAK Combo Kit - Includes Meter and Magnetic Hanger


Specifications		
Voltage DC	Accuracy <sup>1</sup>	±(0.09% + 2)
	Max. resolution	0.1 mV
	Maximum	1000 V
Voltage AC	Accuracy <sup>1</sup>	±(1.0% + 3)
	Max. resolution	0.1 mV
	Maximum	1000 V



Current DC	Accuracy <sup>1</sup>	±(1.0% + 3)	
	Max. resolution	0.01 mA	
	Maximum	10 A	
Current AC	Accuracy <sup>1</sup>	±(1.5% + 3)	
	Max. resolution	0.01 mA	
	Maximum	10 A	
Resistance	Accuracy <sup>1</sup>	±(0.9% + 1)	
	Max. resolution	0.1 Ω	
	Maximum	50 ΜΩ	
Capacitance	Accuracy <sup>1</sup>	±(1.2% + 2)	
	Max. resolution	1 nF	
	Maximum	10,000 μF	
Frequency	Accuracy <sup>1</sup>	±(0.1% + 1)	
	Max. resolution	0.01 Hz	
	Maximum	100 kHz	
Temperature	Max. resolution	0.1°C	
	Range	-40°C / 400°C	
1. Accuracies are best accu	uracies for each function		
Environmental Specifica	tions		
Operating temperature	-10°C to +50°C		
Storage temperature	-30°C to +60°C		
Humidity (without condensation)	0% - 90% (0°C - 35°C) 0% - 70% (35°C -50°C)		
Safety Specifications			
Overvoltage category	EN 61010-1 to 1000 V CAT III EN 61010-1 to 600 V CAT IV		
Agency approvals	UL, CSA, TÜV listed and VDE Pending		
Mechanical and General	Specifications		
Size	43 x 90 x 185 mm		
Weight	420 g		
Warranty	Lifetime		
Baery life	Alkaline ~200 hours typical, without backlight		



### **Ordering information**



#### Fluke 179/TPAK Kit

Fluke 179/TPAK Combo Kit – Includes Meter and Magnetic Hanger

#### Includes:

- Fluke 179 Multimeter
- ToolPak™ Meter Hanging Kit



#### **Fluke**. Keeping your world up and running.®

#### Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

### For more information call: In the U.S.A. (800) 443-5853

In the U.S.A. (600) 445-3855 In Europe/M-East/Africa +31 (0)40 267 5100 In Canada (800)-36-FLUKE From other countries +1 (425) 446-5500 www.fluke.com/en-th

@2025 Fluke Corporation. Specifications subject to change without notice. 04/2025

Modification of this document is not permitted without written permission from Fluke Corporation.