


TECHNICAL DATA


Fluke i1730-flex6000/3pk iFlex® Current Clamps



Product overview: Fluke i1730-flex6000/3pk iFlex® Current Clamps

The Fluke 1730 Energy Logger 36 inch iFlex® flexible current probes expand the measurement range of the Fluke 1730 to 6000 A ac while providing the ultimate measurement flexibility. The iFlex® probes connect directly to the energy logger, displaying current measurements without error prone scaling factors. The 1.8 m (6 ft) cord allows separation between the measurement location and the energy logger making it easier to view the display. Fluke 1730 Energy Logger iFlex® cables are available in 12, 24, and 36 inch.

Ordering information



Fluke i1730-flex6000/3pk

A 36 inch, 3 pack Current Clamps

-
- 6000A 36 inch, 3 pack Current Clamps
-

Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:
In the U.S.A. (800) 443-5853
In Canada (800) 36-FLUKE
From other countries +1 (425) 446-5500
www.fluke.com

©2025 Fluke Corporation.
Specifications subject to change without notice.
04/2025

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**