

TECHNICAL DATA

Fluke 3PHVL-17XX and 3PHVL-17XX-5M Voltage Test Lead Sets







Key features

- Three-phase with neutral voltage connection cable
- Unique tangle-free flat cable design
- Compatible with all Fluke power and energy loggers
- Available in 2 meter and 5 meter lengths

Product overview: Fluke 3PHVL-17XX and 3PHVL-17XX-5M Voltage Test Lead Sets

The Fluke 3PHVL-17XX (2 meters) and 3PHVL-17XX-5M (5 meters) Voltage Cable is designed to simplify voltage connections between any Fluke Power or Energy Logger and the load being measured. The unique flat, tangle-free cable design helps keep your tool bag organized and makes it easier to feed the cable through panels and the standard 4mm connectors are clearly marked and help to ensure fast easy connection of your voltage clips.



Ordering information



Fluke 3PHVL-17XX Voltage Cable

- Cable Assembly, Voltage Test Lead 3-Phase+N, 2 meter
- 1000V CAT III, NONSTACK/STACK 0.18M Test Lead Set

Fluke 3PHVL-17XX-5M voltage cable

Includes:

• Cable Assembly, Voltage Test Lead 3-Phase+N, 5 meter

Optional accessories	Description
Fluke FTP17XXPQ Fused Test Probes Se	SureGrip fused test probes offer additional measurement protection and have built-in replaceable fuses.
Fluke AC285 SureGrip™ Alligator Clips	SureGrip™ accessories are designed to improve steadiness in slippery hands.
Fluke TLK290 Flexible Socket Probe Set	Set includes three Flexible Socket Probes and a Large Alligator Clip.



$\textbf{Fluke}. \ \textit{Keeping your world up and running.} \\ \textbf{@}$

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call: In the U.S.A. (800) 443-5853

In Canada (800) 36-FLUKE From other countries +1 (425) 446-5500 www.fluke.com ©2025 Fluke Corporation.

Specifications subject to change without notice.

04/2025

Modification of this document is not permitted without written permission from Fluke Corporation.