

TECHNICAL DATA

VPS220-G - Voltage Probe Set, 100:1, one grey



Key features

Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip

Product overview: VPS220-G - Voltage Probe Set, 100:1, one grey

Double insulated voltage probe for ScopeMeter 190 series.

Specifications: VPS220-G - Voltage Probe Set, 100:1, one grey


| Specification | |
|---------------|---------|
| Aenuation | 100:1 |
| Bandwidth | 200 MHz |



| Max. input voltage | 1000 V CAT II or 600 V CAT III |
|------------------------|--|
| Max. voltage to ground | 1000 V CAT II or 600 V CAT III per IEC / EN61010-031 |
| Input resistance | 100 ΜΩ |
| Input capacitance | 4.6 pF |
| Compensation range | 10 to 25 pF |
| Cable length | 1.2 m |



Ordering information



Fluke VPS220-G

Voltage Probe Set, 100:1, one grey

Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip



Fluke. Keeping your world up and running.®

Fluke Corporation PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:

In the U.S.A. (800) 443-5853 In Canada (800) 36-FLUKE From other countries +1 (425) 446-5500 www.fluke.com ©2025 Fluke Corporation. Specifications subject to change without notice. 04/2025

Modification of this document is not permitted without written permission from Fluke Corporation.