

TECHNICAL DATA

Super Telephoto Infrared Lens



Product overview: Super Telephoto Infrared Lens

3.5 or 4 x telephoto lens for inspecting smaller objects or objects that are harder to capture at farther distances - compatible with TiX1000, TiX660 and TiX640 models.

Applications: Predictive maintenance, utilities, high voltage utilities, and long range surveillance.

Specifications: Super Telephoto Infrared Lens

General Characteristics	
Lens description	Super telephoto lens
Focal distance	120 mm
Focus	6.58 mm
1024 x 768	
iFOV	0.1 mRad
FOV	8.1 x 6.2°
640 x 480	



iFOV	0.2 mRad
FOV	7.5 x 5.7°

Ordering information



FLK-Xlens/Super Telephoto

Applications: Predictive maintenance, utilities, high voltage utilities, and long range surveillance.

Compatible with TiX1000, TiX660 and TiX640 infrared cameras.



Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:
In the U.S.A. (800) 443-5853
In Canada (800) 36-FLUKE
From other countries +1 (425) 446-5500
www.fluke.com

©2025 Fluke Corporation.
Specifications subject to change without notice.
04/2025

Modification of this document is not permitted without written permission from Fluke Corporation.