

TECHNICAL DATA

Wide Angle Infrared Lens



Product overview: Wide Angle Infrared Lens

Wide field of view for inspection of large objects – compatible with TiX1000, TiX660 and TiX640 models.

Applications: Entire wall or side of building or the need to work in tight spaces.

Specifications: Wide Angle Infrared Lens

General Characteristics	
Lens description	Wide-angle lens
Focal distance	15 mm
Focus	0.47 mm
1024 x 768	
iFOV	1.1 mRad
FOV	68.7 x 50.7°
640 x 480	
iFOV	1.7 mRad



FOV	62.3 x 46.4°
-----	--------------

Ordering information



FLK-XLENS/WIDE

Applications: Entire wall or side of building or the need to work in tight spaces.

Compatible with TiX1000, TiX660 and TiX640 infrared cameras.



Fluke. *Keeping your world up and running.®*

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:
In the U.S.A. (800) 443-5853
In Canada (800) 36-FLUKE
From other countries +1 (425) 446-5500
www.fluke.com

©2025 Fluke Corporation.
Specifications subject to change without notice.
04/2025

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**