

TECHNICAL DATA

Fluke InsideIR™ Software



Product overview: Fluke InsideIR™ Software

InsideIR software, a Windows based PC application for thermal analysis and reporting, is included in the Fluke Ti20 and Ti30 thermal imagers.

Specifications: Fluke InsideIR™ Software

System Requirements

One of the following operating systems Microsoft® Windows® Vista, Microsoft® Windows® XP, or Microsoft® Windows® 2000 with SP3

Version of Inteet Explorer 6.0 or greater

Microsoft .NET Framework 2.0 (Included as part of the InsideIR 4.0 installation)

Personal computer with a 1 GHz processor (faster recommended)

512 megabytes (MB) of RAM for Microsoft® Windows® XP or Microsoft® Windows® 2000 and 1 gigabyte (GB) of RAM for Microsoft® Windows® Vista

SuperVGA monitor with the screen resolution set at 1024 x 768 or greater; small fonts seing; and true color (32 bits)

CD ROM drive



SB rev. 1.1 port
SB port (USB 2.0 recommended)
ouse or pointing device
rinter, optional for printing reports
uke InsideIR 4.0 Software Upgrade



Ordering information



Fluke InsideIR software

Some of the tools built into the package include:

- Temperature spots
- Histograms
- Isotherms
- Emissivity and reflected temperature compensation



$\textbf{Fluke}. \ \textit{Keeping your world up and running.} \\ \textbf{@}$

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call: In the U.S.A. (800) 443-5853

In Canada (800) 36-FLUKE From other countries +1 (425) 446-5500

www.fluke.com

©2025 Fluke Corporation.

 $\label{thm:continuous} Specifications \ subject to \ change \ without \ notice.$

03/2025

Modification of this document is not permitted without written permission from Fluke Corporation.