



TECHNICAL DATA

1586-2586-KIT/C High-Capacity Module with Relay Card, Accredited Calibration





Product overview: 1586-2586-KIT/C High-Capacity Module with Relay Card, Accredited Calibration

The High-Capacity Module Kit for 1586A Super-DAQ Precision Temperature Scanner comes with everything you need to get started making multi-channel data logging measurements with your 1586A. To configure the 1586A yourself for use with the high-capacity module, you will need the relay card that is included with the kit. The kit also includes the 1586-2586 High-Capacity Module with universal input channels designed to measure temperature, resistance, dc voltage, and dc current for data acquisition applications where channel count and scan speed are important.

Includes:


- 1586-2586 High-Capacity Module
- Relay Card
- Accredited Calibration



Specifications: 1586-2586-KIT/C High-Capacity Module with Relay Card, Accredited Calibration

Specifications	
Maximum Input	50 V
Offset Voltage	<2 μ V
3-Wire Inteal Resistance Mismatch	<50 m Ω
Basic CJC Accuracy	0.6 $^{\circ}$ C

Ordering information



1586-2586-KIT/C

High-Capacity Module with Relay Card, Accredited Calibration

Fluke. *Keeping your world up and running.®*

Fluke Europe B.V.

P.O. Box 1186
5602 BD Eindhoven
The Netherlands
www.fluke.com/en

©2025 Fluke Corporation. All rights reserved.
Data subject to alteration without notice.
04/2025

For more information call:

In Middle East/Africa
+31 (0)40 267 5100

**Modification of this document is not permitted
without written permission from Fluke
Corporation.**