

Datos técnicos

9308 | Maletín resistente de transporte: 9102, 9132, 9140





Descripción general del producto: 9308 | Maletín resistente de

transporte: 9102, 9132, 9140

- Rugged carrying case for the 9102 Handheld Dry Well, 9132 Portable Infrared Calibrator, or 9140 Dry-Well Calibrator
- Watertight, crushproof, dust proof
- Strong and light weight
- Easy-to-open double-throw latches
- Pressure equalization valve for quick equalization after changes in atmospheric pressure
- Rubber over-molded handle for comfortable grip
- Hardware and padlock protected with stainless steel
- Foam lined for impact protection

Especificaciones: 9308 | Maletín resistente de transporte: 9102, 9132, 9140

- Interior dimensions: (L x W x H): 11.81 in x 8.87 in x 5.18 in (30 cm x 22.5 cm x 13.2 cm)

Modelos



9308

Maletín resistente de transporte: 9102, 9132, 9140

- 9102S Handheld Dry-Well
- 9132 Portable IR Calibrator
- 9140 Dry-Well Calibrator

Fluke. *Manteniendo su mundo en marcha.*

Fluke Corporation

Everett, WA 98206 EE.UU.

Para obtener información adicional En EE. UU.

(800) 443-5853

En Europa/Medio Oriente/África

+31 (0)40 267 5100

En Canadá (800)-36-FLUKE

www.fluke.com

Latin America

Tel: +1 (425) 446-5500

www.fluke.com/es-co

©2025 Fluke Corporation. Reservados todos los derechos. Impreso en los Países Bajos. Información sujeta a modificación sin previo aviso.
03/2025

No está permitido modificar este documento sin autorización por escrito de Fluke Corporation.