

Datos técnicos

## **9308 | Maletín resistente de transporte: 9102, 9132, 9140**





## Descripción general del producto: 9308 | Maletín resistente de

## **transporte: 9102, 9132, 9140**

- Rugged carrying case for the 9102 Handheld Dry Well, 9132 Portable Infrared Calibrator, or 9140 Dry-Well Calibrator
- Watertight, crushproof, dust proof
- Strong and light weight
- Easy-to-open double-throw latches
- Pressure equalization valve for quick equalization after changes in atmospheric pressure
- Rubber over-molded handle for comfortable grip
- Hardware and padlock protected with stainless steel
- Foam lined for impact protection

## **Especificaciones: 9308 | Maletín resistente de transporte: 9102, 9132, 9140**

- Interior dimensions: (L x W x H): 11.81 in x 8.87 in x 5.18 in (30 cm x 22.5 cm x 13.2 cm)

## Modelos



### 9308

Maletín resistente de transporte: 9102, 9132, 9140

- 9102S Handheld Dry-Well
- 9132 Portable IR Calibrator
- 9140 Dry-Well Calibrator

**Fluke.** *Manteniendo su mundo en marcha.*

**Fluke Corporation**

Everett, WA 98206 EE.UU.

**Para obtener información adicional En EE. UU.**

**(800) 443-5853**

**En Europa/Medio Oriente/África**

**+31 (0)40 267 5100**

**En Canadá (800)-36-FLUKE**

**[www.fluke.com](http://www.fluke.com)**

**Latin America**

Tel: +1 (425) 446-5500

[www.fluke.com/es-ec](http://www.fluke.com/es-ec)

©2025 Fluke Corporation. Reservados todos los derechos. Impreso en los Países Bajos. Información sujeta a modificación sin previo aviso.

04/2025

**No está permitido modificar este documento sin autorización por escrito de Fluke Corporation.**