

Tekniset tiedot

## VPS200-G Voltage Probe Set, Gray 200 MHz (one gray)



### Tuotekatsaus: VPS200-G Voltage Probe Set, Gray 200 MHz (one gray)

Double insulated voltage probe for ScopeMeter190 series.

### Tekniset tiedot: VPS200-G Voltage Probe Set, Gray 200 MHz (one gray)

Specifications	
Aenuation	10x
Bandwidth	200 MHz
Max. input voltage	1000 V
Max. voltage to ground	600 V CAT III 1000 V CAT II per IEC / EN61010-031
Input resistance	10 Mohm
Input capacitance	14 pF



Compensation range	10 to 22 pF
Cable length	1.2m
Warranty	1 Year
Specifications apply when the probe is connected to Fluke 190 Series Scopemeter.	

## Mallit



### Fluke VPS200 G

Voltage Probe Set, Gray 200 MHz (one gray)

---

Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated:
    - 10:1 Voltage Probe
    - Hook Clip for Probe Tip, 4-mm Test Probe for Probe
    - Ground Lead with Hook Clip
    - Ground Lead with Mini Alligator
  - The red probe set also includes a 30 V CAT II rated Ground Spring for Probe Tip
-

**Fluke.** *Keeping your world up and running.®*

**Fluke Finland Oy**  
Teknobulevardi 3-5  
01530 VANTAA  
Puh.: 0800 111 862  
E-mail: cs.fi@fluke.com  
www.fluke.fi

©2025 Fluke Corporation. Kaikki oikeudet  
pidätetään. Oikeudet muutoksiin ilman  
ennakkoilmoitusta pidätetään.  
04/2025

**Tätä asiakirjaa ei saa muokata ilman Fluke  
Corporationin kirjallista lupaa.**