

## 2082-P | Couvercle de test de rechange : 7102



### Présentation du produit: 2082-P | Couvercle de test de rechange : 7102

This spare test lid is for the 7102 Micro-Bath, because, sometimes you need a lid with holes drilled in it, and sometimes you need a lid that is completely sealed. For calibration, it is convenient to drill a pattern of holes into a test lid to keep the bath sealed during calibration for optimal stability, and to ensure probes are properly spaced from one another and go into the bath vertically. However, you also want to have a lid that prevents spilling when you are carrying the bath from the lab or shop to the test site, so we recommend keeping a spare lid to use during testing. That way you can have ideal test conditions and a clean work environment.

## Modèles



### **2082-P**

Couvercle de test de rechange : 7102

---

*Soyez à la pointe du progrès avec Fluke.*

**Fluke France SAS**  
20 Allée des érables  
93420 Villepinte  
France  
Téléphone: +33 17 080 0000  
E-mail: [cs.fr@fluke.com](mailto:cs.fr@fluke.com)  
[www.fluke.com/fr-fr](http://www.fluke.com/fr-fr)

©2025 Fluke Corporation. Tous droits réservés.  
Informations modifiables sans préavis.  
04/2025

**La modification de ce document est interdite sans l'autorisation écrite de Fluke Corporation.**