


Data teknis

Fluke BP290 2400 mAh High Capacity Li-Ion Battery for Fluke 190-Series-II



Fitur utama

- 2400 mAh rechargeable Li-ion battery
- Compatible with ScopeMeter® 190 Series III, 190 Series II, 120B Series, MDA-500 Series Motor Drive Analyzers and 430-II Series Power Quality Analyzers

Ikhtisar Produk: Fluke BP290 2400 mAh High Capacity Li-Ion Battery for Fluke 190-Series-II

The Fluke BP290 Li-ion Battery is a standard capacity battery for use in Fluke 190 Series II and Series III ScopeMeter Test Tools, 120B Series ScopeMeter Test Tools, MDA-500 Series III Motor Drive Analyzers and 430-II Series Power Quality Analyzers. BP290 Li-ion batteries include a charge-status indicator so you can quickly and easily verify charge status in the field, and may be charged either in the instrument itself, or using the option [EBC290 External Charger](#). For situations requiring longer battery operating time consider the [Fluke BP291 4800 mAh High Capacity Li-Ion Battery](#).

Spesifikasi: Fluke BP290 2400 mAh High Capacity Li-Ion Battery for Fluke 190-Series-II

| Baery | Li-ion, 10.8 V, 2500 mAh, 27 Wh configuration 3ICR19/66 |
|---------------------------------|---------------------------------------------------------------------------------------------------|
| Safety | Pollution degree 2 |
| Operating temperature | 0 °C to +50 °C (charging may slow or stop at environmental temperatures >40 °C) |
| Storage temperature | -20 °C to +60 °C |
| Recommended storage temperature | <35 °C |
| Humidity | 0 °C to 10 °C noncondensing 10 °C to 30 °C @ 95 % (±5 %) rh 30 °C to 40 °C @ 75 % (±5 %) rh |
| Altitude | 3000 m |
| Weight | 175 g |
| Dimensions | 22 mm x 85 mm x 59 mm |

Model



Fluke BP290

2400 mAh High Capacity Li-Ion Battery for Fluke 190-series II

Fluke. *Memastikan aktivitas Anda terus berjalan dan beroperasi.*

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

www.fluke.com

BUT. FLUKE SOUTH EAST ASIA PTE LTD

Menera Satu Sentra Kelapa Gading #06-05

Jl. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading

Jakarta Utara 14240

Indonesia

Tel: +62 21 2938 5922

Email: info.asean@fluke.com

www.fluke.com/id

©2025 Fluke Corporation. Specifications subject to change without notice.

04/2025

Modification of this document is not permitted without written permission from Fluke Corporation.