

**Data teknis**

## 3150-6 | Insert, 9150-D Alumina w/ 6 metric holes



### Ikhtisar Produk: 3150-6 | Insert, 9150-D Alumina w/ 6 metric holes

Removable inserts are sized for probes with the named diameter. Use additional inserts to broaden the range of hole sizes available or to back up or replace existing inserts. This insert is designed for use with the 9150 Thermocouple Furnace.

- Insert "D" 9150, 6 metric holes

### Spesifikasi: 3150-6 | Insert, 9150-D Alumina w/ 6 metric holes

Hole size	Quantity
3 mm	2
4 mm	2



6 mm	2
------	---

## Model



### **3150-6**

Insert, 9150-D Alumina w/ 6 metric holes

Removable inserts are sized for probes with the named diameter. Use additional inserts to broaden the range of hole sizes available or to back up or replace existing inserts. This insert is designed for use with the 9150 Thermocouple Furnace.

---

**Fluke.** *Memastikan aktivitas Anda terus berjalan dan beroperasi.*

**Fluke Corporation**

PO Box 9090, Everett, WA 98206 U.S.A.

**For more information call:**

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

[www.fluke.com](http://www.fluke.com)

**BUT. FLUKE SOUTH EAST ASIA PTE LTD**

Menera Satu Sentra Kelapa Gading #06-05

Jl. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading

Jakarta Utara 14240

Indonesia

Tel: +62 21 2938 5922

Email: [info.asean@fluke.com](mailto:info.asean@fluke.com)

[www.fluke.com/id](http://www.fluke.com/id)

©2025 Fluke Corporation. Specifications subject to change without notice.

04/2025

**Modification of this document is not permitted without written permission from Fluke Corporation.**