

Data teknis

Fluke AS200-R Probe Accessory Set, Red



Ikhtisar Produk: Fluke AS200-R Probe Accessory Set, Red

Probe Accessory Set for usage with VPS200 & PM8918 Series Scope Probes.

Set includes 600V CAT III / 1000V CAT II rated:

- Industrial Alligator for Probe
- 2-mm Test Probe for Probe
- 2-mm Test Probe for Banana
- Industrial Alligator for Banana
- Ground Lead 4-mm Banana

Specifications:

- Max. Input Voltage: 600V CAT III, 1000V CAT II per IEC 1010-2-031
- Max. Voltage to Ground: 600V CAT III, 1000V CAT II per IEC 1010-2-031

Compatible with VPS100, VPS101, VPS121, VPS200-Series and PM8918-Series probes.


Spesifikasi: Fluke AS200-R Probe Accessory Set, Red

Specifications



Max. input voltage	600 V CAT III, 1000V CAT II per IEC 1010-2-031
Max. voltage to ground	600 V CAT III, 1000V CAT II per IEC 1010-2-031
Compatible with	VPS100, VPS101, VPS121, VPS200-Series and PM8918-Series probes

Model



Fluke AS200 R

Set includes 600V CAT III / 1000V CAT II rated:

- Industrial Alligator for Probe
 - 2-mm Test Probe for Probe
 - 2-mm Test Probe for Banana
 - Industrial Alligator for Banana
 - Ground Lead 4-mm Banana
-

Fluke. *Memastikan aktivitas Anda terus berjalan dan beroperasi.*

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call:

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

www.fluke.com

BUT. FLUKE SOUTH EAST ASIA PTE LTD

Menera Satu Sentra Kelapa Gading #06-05

Jl. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading

Jakarta Utara 14240

Indonesia

Tel: +62 21 2938 5922

Email: info.asean@fluke.com

www.fluke.com/id

©2025 Fluke Corporation. Specifications subject to change without notice.

03/2025

Modification of this document is not permitted without written permission from Fluke Corporation.