


Data teknis

1586-2586-KIT | High-Capacity Module with Relay Card







Ikhtisar Produk: 1586-2586-KIT | High-Capacity Module with Relay Card

The High-Capacity Module Kit for 1586A Super-DAQ Precision Temperature Scanner comes with everything you need to



get started making multi-channel data logging measurements with your 1586A. To configure the 1586A yourself for use with the high-capacity module, you will need the relay card that is included with the kit. The kit also includes the 1586-2586 High-Capacity Module with universal input channels designed to measure temperature, resistance, dc voltage, and dc current for data acquisition applications where channel count and scan speed are important.

Includes:

- 1586-2586 High-Capacity Module
- Relay Card

Spesifikasi: 1586-2586-KIT | High-Capacity Module with Relay Card

Specifications	
Maximum Input	50 V
Offset Voltage	<2 μV
3-Wire Inteal Resistance Mismatch	<50 mΩ
Basic CJC Accuracy	0.6 °C



Model



1586-2586-KIT

High-Capacity Module with Relay Card



Fluke. Memastikan aktivitas Anda terus berjalan dan beroperasi.

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

BUT. FLUKE SOUTH EAST ASIA PTE LTD

Menera Satu Sentra Kelapa Gading #06-05 JI. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading

Jakarta Utara 14240 Indonesia

Tel: +62 21 2938 5922 Email: info.asean@fluke.com

www.fluke.com/id

©2025 Fluke Corporation. Specifications subject to

change without notice.

04/2025

In the U.S.A. (800) 443-5853 In Europe/M-East/Africa +31 (0)40 267 5100 In Canada (800)-36-FLUKE

For more information call:

From other countries +1 (425) 446-5500

www.fluke.com

Modification of this document is not permitted without written permission from Fluke Corporation.