

Data teknis

## VPS220-G - Voltage Probe Set, 100:1, one grey



### Fitur utama

**Each probe set includes:**

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip

### Ikhtisar Produk: VPS220-G - Voltage Probe Set, 100:1, one grey


Double insulated voltage probe for ScopeMeter 190 series.

### Spesifikasi: VPS220-G - Voltage Probe Set, 100:1, one grey

Specification	
Aenuation	100:1
Bandwidth	200 MHz

Max. input voltage	1000 V CAT II or 600 V CAT III
Max. voltage to ground	1000 V CAT II or 600 V CAT III per IEC / EN61010-031
Input resistance	100 MΩ
Input capacitance	4.6 pF
Compensation range	10 to 25 pF
Cable length	1.2 m

## Model



### Fluke VPS220-G

Voltage Probe Set, 100:1, one grey

---

Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
  - Hook Clip for Probe Tip
  - Ground Lead with Mini Alligator
  - Insulation Sleeve
  - 30 V CAT II rated Ground Spring for Probe Tip
-

**Fluke.** *Memastikan aktivitas Anda terus berjalan dan beroperasi.*

**Fluke Corporation**

PO Box 9090, Everett, WA 98206 U.S.A.

**For more information call:**

In the U.S.A. (800) 443-5853

In Europe/M-East/Africa

+31 (0)40 267 5100

In Canada (800)-36-FLUKE

From other countries +1 (425) 446-5500

[www.fluke.com](http://www.fluke.com)

**BUT. FLUKE SOUTH EAST ASIA PTE LTD**

Menera Satu Sentra Kelapa Gading #06-05

Jl. Bulevar Kelapa Gading Kav. LA# No. 1

Summarecon Kelapa Gading

Jakarta Utara 14240

Indonesia

Tel: +62 21 2938 5922

Email: [info.asean@fluke.com](mailto:info.asean@fluke.com)

[www.fluke.com/id](http://www.fluke.com/id)

©2025 Fluke Corporation. Specifications subject to change without notice.

04/2025

**Modification of this document is not permitted without written permission from Fluke Corporation.**