


テクニカル・データ

1586-2586-KIT | ハイキャパシティ・モジュール、リレー・カード付き



製品概要: 1586-2586-KIT | ハイキャパシティ・モジュール、リレー・カード付き

The High-Capacity Module Kit for 1586A Super-DAQ Precision Temperature Scanner comes with everything you need to get started making multi-channel data logging measurements with your 1586A. To configure the 1586A yourself for use with the high-capacity module, you will need the relay card that is included with the kit. The kit also includes the 1586-2586 High-Capacity Module with universal input channels designed to measure temperature, resistance, dc voltage, and dc current for data acquisition applications where channel count and scan speed are important.

Includes:


- 1586-2586 High-Capacity Module

- Relay Card

仕様: 1586-2586-KIT | ハイキャパシティ・モジュール、リレー・カード付き

Specifications	
Maximum Input	50 V
Offset Voltage	<2 μ V
3-Wire Intenal Resistance Mismatch	<50 m Ω
Basic CJC Accuracy	0.6 $^{\circ}$ C

モデル



1586-2586-KIT

ハイキャパシティ・モジュール、リレー・カード付き

Fluke. 動き続ける世界を支える

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A./div>
お問い合わせ先: ©2025 Fluke
フルーク Corporation.
特約店営業部 仕様は、予告なく変更され
TEL : 03-6714-3114 る場合があります。
www.fluke.com/jp/ 04/2025

世界で最も信頼されている
ツール