


기술 자료


Fluke 3000A/6000A 36-Inch Flexi Probe™ 4 Phase



제품 개요: Fluke 3000A/6000A 36-Inch Flexi Probe™ 4 Phase

The 3000/6000A-TF-4 Thin Flex AC Current Probe sets (the Probe or Product) have been designed for applications with Fluke 1735 and Fluke 1740 series products for accurate non-intrusive measurement of ac currents. Using the latest technologies (integrated memory for calibration data) provides current ranges from 0.8 A up to 6000 A in a frequency range of 40 Hz to 5 kHz.

모델



Fluke 3000A/6000A

36-Inch Flexi Probe 4 Phase



Fluke. *Keeping your world up and running.*[®]

Fluke Corporation
PO Box 9090, Everett, WA 98206 U.S.A.

(주)한국플루크Fluke Korea
Tel.02.539.6311
(주)한국플루크 대구지사
Tel.053.382.6311
www.fluke.co.kr

Fluke Korea
서울특별시 강남구 영동대로 517,10층 1002호
(삼성동, 아셈타워)
©2025 Fluke Corporation.
사양은 예고 없이 변경될 수 있습니다.
04/2025

이 문서의 수정은 Fluke Corporation 의 서면 허가 없이는 허용되지 않습니다.