

Technische gegevens

# Fluke PM9093 Male BNC to Dual Female BNC Adapter



## Productoverzicht: Fluke PM9093 Male BNC to Dual Female BNC Adapter

Male BNC to dual female BNC T-piece. Set consists of two adapters. BB120 Shielded Banana to BNC Adapter is required to adapt to ScopeMeter 120 Series shielded banana jack inputs.

## Specificaties: Fluke PM9093 Male BNC to Dual Female BNC Adapter

Specifications	
Maximum signal voltage	300 V rms
Maximum voltage to ground	600 V rms CAT III per IEC 61010-031

## Modellen



### **Fluke PM9093**

Fluke PM9093 Male BNC to Dual Female BNC Adapter

---

**Fluke.** *Keeping your world up and running.®*

**Fluke Belgium N.V.**  
Kortrijksesteenweg 1095  
B9051 Gent  
Belgium  
Tel: +32 2402 2100  
E-mail: [cs.be@fluke.com](mailto:cs.be@fluke.com)  
[www.fluke.be](http://www.fluke.be)

©2025 Fluke Corporation. Alle rechten  
voorbehouden.  
Wijzigingen zonder voorafgaande kennisgeving  
voorbehouden.  
04/2025

**Wijziging van dit document is niet toegestaan  
zonder schriftelijke toestemming van Fluke  
Corporation.**