

Technische gegevens

3140-2 | Insert, 9140 "A" w/ misc holes, ring



Productoverzicht: 3140-2 | Insert, 9140 "A" w/ misc holes, ring

Removable inserts are sized for probes with the named diameter. Use additional inserts to broaden the range of hole sizes available or to back up or replace existing inserts. This insert is designed for use with the 9140 Field Dry-Well.

- Insert "A" 9140

Specificaties: 3140-2 | Insert, 9140 "A" w/ misc holes, ring

Hole size	Quantity
1.6 mm (1/16 in)	1
3.2 mm (1/8 in)	1
4.8 mm (3/16 in)	1
6.35 mm (1/4 in)	1
9.5 mm (3/8 in)	1
12.7 mm (1/2 in)	1

Modellen



3140-2

Insert, 9140 "A" w/ misc holes, ring

Fluke. *Keeping your world up and running.®*

Fluke Belgium N.V.
Kortrijksesteenweg 1095
B9051 Gent
Belgium
Tel: +32 2402 2100
E-mail: cs.be@fluke.com
www.fluke.be

©2025 Fluke Corporation. Alle rechten
voorbehouden.
Wijzigingen zonder voorafgaande kennisgeving
voorbehouden.
04/2025

**Wijziging van dit document is niet toegestaan
zonder schriftelijke toestemming van Fluke
Corporation.**