



Technische gegevens

1586-2586-KIT/C High-Capacity Module with Relay Card, Accredited Calibration





Productoverzicht: 1586-2586-KIT/C High-Capacity Module with Relay Card, Accredited Calibration

The High-Capacity Module Kit for 1586A Super-DAQ Precision Temperature Scanner comes with everything you need to get started making multi-channel data logging measurements with your 1586A. To configure the 1586A yourself for use with the high-capacity module, you will need the relay card that is included with the kit. The kit also includes the 1586-2586 High-Capacity Module with universal input channels designed to measure temperature, resistance, dc voltage, and dc current for data acquisition applications where channel count and scan speed are important.


Includes:

- 1586-2586 High-Capacity Module
- Relay Card
- Accredited Calibration

Specifications: 1586-2586-KIT/C High-Capacity Module with Relay Card, Accredited Calibration

Specifications	
Maximum Input	50 V
Offset Voltage	<2 μ V
3-Wire Inteval Resistance Mismatch	<50 m Ω
Basic CJC Accuracy	0.6 $^{\circ}$ C

Modellen



1586-2586-KIT/C

High-Capacity Module with Relay Card, Accredited Calibration

Fluke. *Keeping your world up and running.®*

Fluke Belgium N.V.
Kortrijksesteenweg 1095
B9051 Gent
Belgium
Tel: +32 2402 2100
E-mail: cs.be@fluke.com
www.fluke.be

©2025 Fluke Corporation. Alle rechten
voorbehouden.
Wijzigingen zonder voorafgaande kennisgeving
voorbehouden.
03/2025

**Wijziging van dit document is niet toegestaan
zonder schriftelijke toestemming van Fluke
Corporation.**