

COMPASS® for Pressure Software



Belangrijkste kenmerken

- Specifically designed for pressure calibration, runs automated sequences on single/multiple DUTs.
- Calculates in-and-out-of-tolerance conditions.
- Advanced report editor for customized reports, with security options for FDA 21 CFR Part 11 compliance.
- Multiuser, networkable application, supports Windows 7 and 10 (32 bit or 64 bit).

Productoverzicht: COMPASS® for Pressure Software

Pressure Calibration Management Software

COMPASS® for Pressure Calibration Software is a universal platform for all of your pressure calibration software needs. From piston gauges calibrating individual devices in the cal lab to transfer standards characterizing racks of sensors in production, COMPASS® provides an off-the-shelf software tool to maximize the automation of your calibration and testing processes.

COMPASS® for Pressure's industry leading pressure calibration software enables you to advance from individual automated hardware components to a fully automated calibration system - quickly, and without consuming your internal engineering resources. COMPASS® software, and the expert assistance available from the product application specialists at Fluke Calibration, remove the unknowns often associated with getting automated systems online.

COMPASS for Pressure integrates calibration functions with pressure-specific dependencies that are missing from more generic software packages. And now, COMPASS software also enables users to export test data directly to the

same database used by MET/CAL® Plus Calibration Management Software. Users can now manage their inventory, calibration location, maintenance and customers through MET/TEAM® software.

Structured around the unit under test

COMPASS® for Pressure Calibration Software is structured around device under test (DUT) and test definitions. DUT definitions identify devices to be tested with all their characteristics. Test definitions define test sequences and all the details of test execution.

The pressure reference devices, data acquisition equipment and auxiliary measurement and control devices that are available to COMPASS® software are set up and stored in a hardware database to be selected by the function(s) they perform. All Fluke Calibration devices and many commonly used data acquisition products are already set up as examples to simplify the implementation of actual test hardware. When running COMPASS® software, hardware selections can be changed without programming or interfacing skills.

Flexibility to fit your hardware setup

COMPASS® for Pressure Calibration Software can run either scripted test definitions or free form with real time hardware selections, pressure setting and user initiated data acquisition. In either case, exhaustive test parameters and data are stored in a comprehensive data file.

Extensive plotting features allow test results to be visualized and evaluated within COMPASS® software with a variety of 2D and 3D plots. Test data files are in standard ASCII, delimited format, so they are very easily imported into other analytical tools such as spreadsheets, if desired.

The COMPASS® Report Editor provides advanced reporting capability within COMPASS® software with easy-to-use, customizable templates.

Piston gauge support

COMPASS® for Pressure Calibration Software supports Fluke Calibration PG7000 and 2400 Series as well as third party piston gauges. Characteristics of multiple platforms, piston-cylinders and mass sets are stored. All parameters affecting piston gauge measurements (piston-cylinder temperature, piston position, piston rotation rate, environmental conditions, reference vacuum) can be read automatically from any interfaceable device; set to default values; or entered manually when running. COMPASS software works in mass-to-pressure or pressure-to-mass mode and provides the user with instructions and prompts during test execution.

COMPASS for Pressure enables automated piston flotation and mass handling where supported by Fluke Calibration piston gauge hardware. Full support of Ruska Autofloat controller and Piston Gauge Monitor is integrated into COMPASS software, offering current WinPrompt software users an opportunity to upgrade to the modern, fully-functional platform of COMPASS.

Advanced Report Editor

COMPASS® software's integrated Report Editor provides advanced but easy-to-use reporting capabilities. The custom template creation feature gives nearly unlimited customization capability. Operation has the familiar look and feel of Microsoft Word, and reports can be saved in MS Word format.

COMPASS® for Pressure Enhanced

This most advanced level of COMPASS® provides the greatest value to most users. It supports complex tests, including custom user macros within the test sequence and multiple outputs from a single DUT. It includes automated support of third party transfer standards and can communicate with almost any device having an RS-232, IEEE-488 or TCP/IP

interface.

COMPASS® for Pressure Enhanced includes features for advanced users and applications. These features allow more complex test sequences, which may include operating valves and other auxiliary equipment before/after tests or between points. These capabilities can be used, for example, to switch pressure references during a test, include a shunt calibration, or take a zero absolute pressure point from a vacuum gauge with a vacuum pump connected directly to the DUT.

COMPASS® for Pressure Enhanced supports environmental chamber control and/or a line pressure setting device. Test definitions can specify that a pressure sequence be repeated at multiple temperatures and/or line pressures.

COMPASS for Pressure Enhanced includes device macros using Visual Basic® Script to create commands for instruments that do not use simple ASCII character command strings and that may require multi-step communications.

COMPASS® for Pressure Basic

This version was developed for performing basic calibration and testing on DUTs, even those that may have complex outputs. The reference may be any Fluke Calibration pressure standard (PPC/RPM or PG7000) or any manufacturer's piston gauge/deadweight tester. COMPASS® for Pressure Basic includes features such as security options and networked operation.

COMPASS® for Pressure Calibration Software features

- Designed specifically for [pressure calibration](#) applications
- Runs complete, [automated calibration](#) sequences on single or multiple devices under test (DUTs), including leak testing and pretest exercising
- Can include multiple temperatures and/or pressure settings
- Compatible with transfer standards, piston gauges and data acquisition hardware from all manufacturers
- Readily adapts level of automation to available hardware and DUTs
- Calculates in-and-out-of-tolerance conditions; reports linearity and hysteresis for each DUT
- Creates standard test data files that are easily imported into Microsoft® Excel and other software tools; also outputs to an external database
- Advanced onboard report editor with simple template editing to produce customized calibration reports in Microsoft Word® format
- Security options on hardware setups, data files and reports to assist in compliance with FDA 21 CFR Part 11
- Multiuser, networkable application and database; site license available
- Supported by a detailed manual
- Expert applications and configuration assistance available
- Available in two versions with features, functions and cost to best fit your needs
- Export COMPASS® data directly to MET/TEAM® database, allowing MET/TEAM® software to manage all your assets
- Microsoft® Windows 7 and Microsoft® Windows 10 support (32 bit or 64 bit)
- Updated help file documentation, including Report Editor fields
- Calculate repeatability from a single test data file that includes two ascending runs
- Ready support for calibration of molbox flow terminal pressure measurements¹
- Auto-detect support for Ruska references
- Seat-based licensing for economical expansion to multiple users
- Integrated support of Ruska Autofloat controllers and piston gauge monitors
- Fully automated calibration and adjustment of the Fluke 700 pressure modules when used with a Fluke controller reference



- Import of existing WinPrompt metrological information into COMPASS
- Export to MET/TRACK software now supports multiple standards and customizable prompts

New in Version 5:

- Support for new Fluke Calibration pressure products: 6270A Pressure Controller/Calibrator, 2271A Industrial Pressure Calibrator and 2700G Reference Pressure Gauges
- Now has a new remote interface library that prevents the Windows “freezing” issue seen on some systems
- Database maintenance tool now purges old configuration details preventing the database size from growing
- Several new example setups have been added to the default database, including an ISO 17025 compliant uncertainty calculation macro
- Dozens of minor improvements and fixes

Specificaties: COMPASS® for Pressure Software

COMPASS® use information	COMPASS® for Pressure is delivered on an installation CD. It is a proprietary software program with each license intended for single computer use.
Minimum computer requirements to run COMPASS® for Pressure	Computer with Windows® 7 or 10 (32bit or 64bit)

Modellen



COMPASS-P-ENH-SNGL

COMPASS for Pressure, Enhanced, Single User

-
- Single user program includes one license and must be purchased initially for any stand-alone installation.
 - For additional users of the same COMPASS database, purchase additional seat licenses.
-

COMPASS-P-ENH-L

COMPASS for Pressure, Enhanced, Additional Seat License

For additional users of the same COMPASS database, purchase additional seat licenses.

COMPASS-P-BAS-SNGL

COMPASS for Pressure, Basic, Single User

-
- Single user program includes one license and must be purchased initially for any stand-alone installation.
 - For additional users of the same COMPASS database, purchase additional seat licenses.
-

COMPASS-P-BAS-L

COMPASS for Pressure, Basic, Additional Seat License

For additional users of the same COMPASS database, purchase additional seat licenses.

Fluke. *Keeping your world up and running.®*

Fluke Belgium N.V.
Kortrijksesteenweg 1095
B9051 Gent
Belgium
Tel: +32 2402 2100
E-mail: cs.be@fluke.com
www.fluke.be

©2025 Fluke Corporation. Alle rechten
voorbehouden.

Wijzigingen zonder voorafgaande kennisgeving
voorbehouden.

04/2025

**Wijziging van dit document is niet toegestaan
zonder schriftelijke toestemming van Fluke
Corporation.**