

Technische gegevens

## 3141-2 | Insert, 9141 "A" Al-Brnz w/ misc holes



### Productoverzicht: 3141-2 | Insert, 9141 "A" Al-Brnz w/ misc holes

Removable inserts are sized for probes with the named diameter. Use additional inserts to broaden the range of hole sizes available or to back up or replace existing inserts. This insert is designed for use with the 9141 Field Dry-Well.

### Specificaties: 3141-2 | Insert, 9141 "A" Al-Brnz w/ misc holes

Hole size	Quantity
1.6 mm (1/16 in)	1
3.2 mm (1/8 in)	1
4.8 mm (3/16 in)	1
6.35 mm (¼ in)	1



9.5 mm (3/8 in)	1
12.7 mm (1/2 in)	1

## Modellen



### **3141-2**

Insert, 9141 "A" Al-Brnz w/ misc holes

---

**Fluke.** *Keeping your world up and running.®*

**Fluke Nederland B.V.**  
Postbus 1337  
5602 BH Eindhoven  
Tel: +31 40 267 5100  
E-mail: [cs.nl@fluke.com](mailto:cs.nl@fluke.com)  
[www.fluke.nl](http://www.fluke.nl)

©2025 Fluke Corporation. Alle rechten  
voorbehouden.  
Wijzigingen zonder voorafgaande kennisgeving  
voorbehouden.  
04/2025

**Wijziging van dit document is niet toegestaan  
zonder schriftelijke toestemming van Fluke  
Corporation.**