

## COMPASS® for molbox™ software



### Belangrijkste kenmerken

- Software assisting molbloc/molbox™ users in calibration.
- Advanced metrology for various gases with real-time measurement.
- Comprehensive calibration system with molbloc/molbox.
- Molbloc/molbox's performance with the versatility of a PC application.

### Productoverzicht: COMPASS® for molbox™ software

### Calibration assistance software for molbloc/molbox™ users

The Fluke Calibration molbloc/molbox is a unique gas flow standard offering state-of-the-art metrology from <1 sccm to several thousand slm with a wide variety of gases and real time measurement capability. COMPASS® for molbox software works with molbloc/molbox to create a full function calibration system. The result is the optimal flow calibration system combining the outstanding performance of molbloc/molbox with the power, versatility and features of a modern PC-based application.

## Features

- Usable on any PC with a 32-bit Windows OS and available COM port.
- Supports both molbox1+ and molbox RFM.
- A true Windows® application following Windows protocol for file management, menu and message formatting, graphics and editing. Other applications can be run without interrupting test execution.
- Complete online Help facility with Tool Tips.
- Customizable user interface with scalable windows.
- Calibrate and test a wide variety of devices including: MFCs, MFMs, rotometers, turbine meters, bubble meters and others.
- Fully automated testing of both analog and digital MFCs.
- Automated flow control support for testing flow measure only devices.
- Flow corrections with automated ambient pressure and temperature entry for density dependent DUTs.
- Log extra data from the DUT during the test with user defined commands.
- Open hardware configuration allows simple integration of third party acquisition, control, and pressure and temperature measurement hardware.
- Sets up and maintains DUT database with unique DUT characteristics, test scripts and histories.
- Process gas editing tool includes complete gas conversion factors for most major MFC manufacturers and automatically calculates conversion factors for missing relationships and blends.
- Produces standard, delimited test data files which easily import into other software programs if desired.
- Test data files stored in user definable directory structure.
- 100% customizable test report generation tool with preformatted templates.
- Extensive on-board plotting function to create a variety of test data plots.

## Specifications: COMPASS® for molbox™ software

| Electronic interfaces supported by COMPASS software   |  |
|---|--|
| molbox and auxiliary device interfaces  | RS-232   |
|   | IEEE-488 (National Instruments or CEC interface hardware required) |
| DUT interfaces  | RS-232   |
|   | RS 485 (requires RS485-to-RS232 converter)                         |
|   | IEEE-488 (National Instruments or CEC interface hardware required) |
|   | DVICENET (National Instruments)                                    |
| Recommended system configuration to run COMPASS for molbox software   |  |
| <ul style="list-style-type: none"> <li>• PC with 32-bit Microsoft OS and available COM port</li> <li>• Access to CD drive to load COMPASS for molbox</li> <li>• molbox1 or molbox RFM based mass flow standard</li> </ul> |  |

## Modellen



### **COMPASS for molbox**

COMPASS for molbox flow calibration software

---

**Fluke.** *Keeping your world up and running.®*

**Fluke Nederland B.V.**  
Postbus 1337  
5602 BH Eindhoven  
Tel: +31 40 267 5100  
E-mail: [cs.nl@fluke.com](mailto:cs.nl@fluke.com)  
[www.fluke.nl](http://www.fluke.nl)

©2025 Fluke Corporation. Alle rechten  
voorbehouden.  
Wijzigingen zonder voorafgaande kennisgeving  
voorbehouden.  
04/2025

**Wijziging van dit document is niet toegestaan  
zonder schriftelijke toestemming van Fluke  
Corporation.**