

700PD2 İkili Basınç Modülü (± 70 mbar)



Temel özellikler

- Rugged urethane molded case protects the module from rough handling and harsh conditions
- Features internal temperature compensation from 0 °C to 50 °C for full-accuracy performance
- Includes NIST-traceable calibration certificate
- Module can be calibrated locally using the Fluke 700PCK Pressure Calibration Kit, a PC, and a precision pressure source
- One year warranty

Ürün İncelemesi: 700PD2 İkili Basınç Modülü (± 70 mbar)

- Basınç okumalarını, kalibratör ayarında belirlediğiniz 10 farklı birimden birisinde gösterir
- Cihazı zor koşullara ve kötü kullanıma karşı korumak için, sağlam, kalıplanmış ürethan çanta
- Tam doğruluk performansı için, 0° C ile 50° C arasında dahili sıcaklık kompanzasyon özelliği bulunur
- NIST izlenebilir kalibrasyon sertifikası da vardır
- Fluke 700PCK Basınç Kalibrasyon Kiti, bir PC ve bir hassas basınç kaynağı kullanılarak cihaz lokal olarak kalibre edilebilir
- Bir yıl garanti

Özellikler: 700PD2 İkili Basınç Modülü (± 70 mbar)

Teknik Özellikler	
Kademe	± 1 psi / ± 6900 Pa
Çözünürlük	0.0001 / 0.001
Referans Belirsizliği ($23 \pm 3^\circ \text{C}$)	0.15%
Toplam ¹ Belirsizlik 1 yıl	0.2
Yüksek Basınç Ortamı ²	316 SS
Alçak Basınç Ortamı ²	Kuru
Not	1) Toplam belirsizlik, $0^\circ \text{C} + 50^\circ \text{C}$ sıcaklık kademesi için bir yıl.
	Toplam belirsizlik, -10°C ile 0°C arası sıcaklık kademesi için tam aralığın %1'i.
	Kompanse edilen sıcaklık kademesi 15°C ile 35°C arasındır.
	2) "Kuru", uygun ortam olarak kuru havayı veya korozyif olmayan gazı belirtir.
	"316 SS", Tip 316 Paslanmaz Çelik ile uyumlu ortamı belirtir.
	"C276", Hastelloy C276 ile uyumlu ortamı belirtir.

Modeller



Fluke 700PD2

Dual Pressure Module

Fluke 700PD2 Dual Pressure Module

Fluke. *Keeping your world up and running.®*

Fluke TURKIYE

P.O. Box 1186
5602 BD Eindhoven
The Netherlands
www.fluke.com.tr

©2025 Fluke Corporation. All rights reserved.

Data subject to alteration without notice.

04/2025

Mer information:

U.S.A. (800) 443-5853 TR +31 (0)40 267 5100 Canada
(905) 890-7600 Övrigt +1 (425) 446-5500

**Modification of this document is not permitted
without written permission from Fluke Corporation.**