

Teknik veriler

Standart 30 mm Kızılötesi Objektif



Ürün İncelemesi: Standart 30 mm Kızılötesi Objektif

Çoğu uygulamalarda kullanılmak üzere standart görüş alanı objektifleri - TiX1000, TiX660 ve TiX640 modellerle uyumlu.

Uygulamalar: Araştırma ve geliştirme; elektrik, su ve gaz; öngörücü bakım, endüstriyel kalite kontrol, bina incelemesi, havadan görüntüleme ve veterinerlik.

Özellikler: Standart 30 mm Kızılötesi Objektif

Genel Özellikler	
Objektif tanımı	Standart objektif
Odak mesafesi	30 mm
Odak	0,72 m
1024 x 768	
iFOV	0,6 mRad
FOV	32,4 x 24,7°
640 x 480	
iFOV	0,8 mRad
FOV	30,9 x 23,1°

Modeller



FLK-XLENS/STAN

Applications: Research and development, utilities, predictive maintenance, industrial quality control, building inspection, aerial imagery, and veterinary.

Compatible with TiX1000, TiX660 and TiX640 infrared cameras.

Fluke. *Keeping your world up and running.®*

Fluke TURKIYE
P.O. Box 1186
5602 BD Eindhoven
The Netherlands
www.fluke.com.tr

©2025 Fluke Corporation. All rights reserved.
Data subject to alteration without notice.
04/2025

Mer information:

U.S.A. (800) 443-5853 TR +31 (0)40 267 5100 Canada
(905) 890-7600 Övrigt +1 (425) 446-5500

**Modification of this document is not permitted
without written permission from Fluke Corporation.**