

Teknik veriler

Fluke 50D K/J Termometre



Temel özellikler

- Tek girişli veya çift girişli model seçeneği sunan makul fiyatlı cihazlar
- Sağlam kılıf termometreyi korur
- OFFSET fonksiyonu, termokupl hatalarını minimize eder
- K veya J tipi termokupllarla uyumlu
- °C veya °F olarak okuma
- Kullanıcı tarafından seçilebilir 0.1 °C
- HOLD Modu, daha rahat izlemek üzere göstergiyi dondurur
- (T1-T2) true diferansiyel gösterge modu (yalnızca 50D)
- SCAN (TARAMA) Modu göstergede sırasıyla T1, T2, (T1-T2) gösterir (Yalnızca 50D)
- MIN/MAX Kayıt (yalnızca 50D)
- Bir yıl garanti

Ürün İncelemesi: Fluke 50D K/J Termometre

Yüksek güvenilirlik sunan makul fiyatlı termometreler

Fluke 50S (tek giriş) ve 50D (çift giriş) kontak termometreler muhteşem bir fiyatla yüksek fonksiyonellik sunarlar. Bu termometreler K- veya J-tip termokupllarla çalışırlar ve tüm ölçüm kademesi boyunca 0.1 °C (0.2 °F) çözünürlük sunarlar. Her iki model de sağlam bir sarı kılıf ile korunur.

Özellikler: Fluke 50D K/J Termometre

Teknik Özellikler

Sıcaklık	Kademe: K tipi	-200 °C ile 1370 °C arası
	Kademe: J tipi	-200 °C ile 760 °C arası
	Doğruluk: K tipi	± [%0.1 + 0.7 °C]
	Doğruluk: J tipi	± [%0.1 + 0.8 °C]

Mekanik ve Genel Özellikler

Boyut	(YxGxD)	166 x 75 x 28 mm
Ağırlık		280 g
Garanti		1 yıl
Pil Ömrü		Tipik olarak 800 saat, 9V

Modeller



Fluke 50S and 50D Thermometers

Value-priced thermometers featuring great reliability

The Fluke 50S (single input) and 50D (dual input) contact thermometers offer simple functionality at a great price. These thermometers work with either K- or J-type thermocouples and offer 0.1 °C (0.2 °F) resolution over the entire measurement range. Both models are protected by a rugged yellow holster.

Fluke 50S

- C70Y holster
- One K-type bead probe

Fluke 50D

- C70Y holster
 - Two K-type bead probes
-

Fluke. *Keeping your world up and running.®*

Fluke TURKIYE

P.O. Box 1186
5602 BD Eindhoven
The Netherlands
www.fluke.com.tr

©2025 Fluke Corporation. All rights reserved.

Data subject to alteration without notice.

04/2025

Mer information:

U.S.A. (800) 443-5853 TR +31 (0)40 267 5100 Canada
(905) 890-7600 Övrigt +1 (425) 446-5500

**Modification of this document is not permitted
without written permission from Fluke Corporation.**